15th Annual

Computerized Embroidery Machine Guide

If you're looking to purchase a new embroidery machine, you've come to the right place. We've done something a little different this year by including home embroidery machines as well. You'll find detailed information and specs on a variety of machines to meet all of your embroidery needs, whether you're just starting out or looking to expand your business.

Compiled by Juanita Robinson

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
BABYLOCK USA 1760 Gilsinn Lane Fenton, Mo. 63026 (800) 313-4110 (800) 270-3562 fax Web site: *www.babylock.com*	**ESANTÉ** Sewing field: 130mm x 180mm Home sewing and embroidery	• 600 spm • Automatic tensioners • Automatic thread trimmers • 4 built-in decorative stitch categories • Alphabet design card • Fruit & Floral design card	• Quick set bobbin • Built-in sewing tutorial • Instructional video • On-screen editing • 5-degree rotation • 2 design cards • 3 hoops of various sizes • Hard case • Knee lift for presser foot	• Multiple position hoop • Side cutter	$4599 25-year manufacturer, 5-year computer warranties Training available through dealer
	BL60E Sewing field: 102mm x 102mm Home embroidery	• 600 spm • 3 built-in alphabets • Alphabet embroidery card • Built-in sewing tutorial • 126 built-in designs • LCD touch panel • Total time indication for embroidery	• 3 hoops of various sizes • Instructional video • 13 language conversion capabilities	• Creative frame • Palette software • Designer's Gallery • SizeWorks™ • DensityWorks™ • ColorWorks™ • Carrying case with wheels	$1299 25-year manufacturer, 5-year computer warranties Training available through dealer

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
BABYLOCK USA	**ELLAGÉO** Sewing field: 159mm x 260mm (254mm x 254mm in optional hat hoop) Home sewing and embroidery	• 800 spm • 4MB memory • Automatic tensioners • Automatic thread trimmers • Color LCD screen • On-screen editing • Readable and writable floppy disk drive • Readable embroidery card slot • Built-in basic operation guide • On-screen color changing • 169 built-in embroidery designs	• 120 built-in frames • Floppy design disk • 4 hoops of various sizes • Hard case • Knee lift for presser foot • Various presser feet • Palette software • Designer's Gallery • SizeWorks™ • DensityWorks™ • ColorWorks™ • 23 optional presser feet • Carrying case with wheels		$5999 25-year manufacturer, 5-year computer warranties Training available through dealer
BARUDAN AMERICA INC. 29500 Fountain Parkway Solon, Ohio 44139 (440) 248-8770 (440) 248-8856 fax Web site: *www.barudan.com*	**ELITE JUNIOR** Singlehead Sewing field: 250mm x 250mm (72mm x 172mm for caps) Home embroidery and samples	• 9 needles • 1,000 spm • 16MB memory • Automatic color change • Automatic thread trimmers • Compact Flash Card • Portable	• Radius cylinder arm for caps • Automatic bobbin thread sensor • 2 cap frames and drive unit • 3 sets of frames • New Business Ventures Package • Software		Prices available upon request 2-year machine, 3-year electronics and 5-year motor warranties Interactive CD, class training and on-site training available for a fee
	BARUDAN BENS YN 15 and 20 heads Sewing field: Varies with machine model Flat goods; piece work (socks, emblems)	• 800 spm • 261,000-stitch capacity in 10 patterns, expandable to 696,000 stitches • Automatic color change • Automatic thread trimmers • User-friendly NS automatic controller based on icon display operation	• Built-in 3.5" disk drive • Individual take-up levers • Reads and stores most popular embroidery machine formats • Memory backup • New function list • Video preview • Perimeter trace • 5-phase stepper motor	• Tool box • Instruction manual • Parts book • Various frames • Cap frames • Starter kit • Various parts and supplies • Sock frame option	Prices available upon request 2-year machine, 3-year electronics and 5-year motor warranties Interactive CD, class training and on-site training available for a fee
	BARUDAN ELITE Singlehead Sewing field: 300mm x 450mm Caps, flat and tubular goods; sewing or retail	• 1,200 spm • 174,000-stitch capacity in 10 patterns, expandable up to 696,000 stitches • Automatic color change • Automatic thread trimmers • In-line sewing head for optimum performance on a complete range of embroiderable goods • Radius cylinder	arm designed for cap embroidery • 15 colors • Icon display operation • Automatic bobbin thread sensor • Built-in 3.5" disk drive • Perimeter trace allows you to trace the outline of a design to ensure proper design placement • Video preview	• Tool box • Instruction manual • Parts book • Various frames • Cap frames • Various parts and supplies • Style disk alphabets and designs • Cart	Prices available upon request 2-year machine, 3-year electronics and 5-year motor warranties On-site training available for a fee Interactive training CD

Mfr./Key Source	Series/Configuration/Use	Machine Features	Accessories/ Machine Options	Price/Warranties/ Training
BARUDAN AMERICA INC.	**BARUDAN BENSME ZN, ZQ SERIES** 12, 15, 20 heads Sewing field: 320mm x 380mm Caps, flat and tubular items	• 800 spm • 261,000-stitch capacity in 10 patterns, expandable to 696,000 stitches • Automatic color change • Automatic thread trimmers • In-line sewing head for optimum performance on caps • Radius cylinder arm designed for cap production • NY controller based on icon display operation • Built-in 3.5″ disk drive • Individual take-up levers • Reads and stores most popular embroidery machine formats • Memory backup • Sock frame option • New function list • Video preview • Perimeter trace • 5-phase stepper motor • Drop table for cap and tubular production	• Tool box • Instruction manual • Parts book • Various frames • Cap frames • Starter kit • Various parts and supplies • Tubular spectacle framing system	Prices available upon request 2-year machine, 3-year electronics and 5-year motor warranties On-site training
	BARUDAN GOLF BAG MACHINE, ZQ SERIES 4 and 6 heads Sewing field: 191mm x 432mm (golf), 292mm x 432mm (regular) Golf bags, caps, flats and tubular goods	• 850 spm • 261,000-stitch capacity in 10 patterns, expandable up to 696,000 stitches • Automatic color change • Automatic thread trimmers • Ability to sew finished golf bag • In-line sewing head • Radius cylinder arm • NY controller based on simple icon display operation • Built-in 3.5″ disk drive • Individual take-up levers • Reads and stores most popular embroidery machine formats • Memory backup • Sock frame option • New function list • Video preview • Perimeter trace • 5-phase stepper motor		Prices available upon request 2-year machine, 3-year electronics and 5-year motor warranties On-site training
	BARUDAN BENSH YN 12, 15, 20 heads Sewing field: Varies with machine model Flat goods and piece work (socks, emblems)	• 261,000-stitch memory, expandable to 696,000 stitches • 9 needles • 800 spm • Automatic color change • Automatic thread trimmers • Large front-to-back sewing field • NS automatic controller • Built-in 3.5″ disk drive • Individual lever take-up • Reads and stores most popular embroidery machine formats • Memory backup • Sock frame option • New function list • Video preview • Perimeter trace • 5-phase stepper motor	• Tool box • Instruction manual • Parts book • Various frames • Cap frames • Various parts and supplies • Starter kit	Prices available upon request 2-year machine, 3-year electronics and 5-year motor warranties On-site training
	BARUDAN BENSHE YN 12 heads Sewing field: 450mm x 520mm Caps, flat and tubular items	• 261,000-stitch memory, expandable to 696,000 stitches • 9 needles • 500 spm • Automatic color change • Automatic thread trimmers • Extra-large sewing field • Reads and stores most popular machine formats • Memory backup • NS automatic controller • Built-in 3.5″ disk drive • Individual lever take-up • New function list • Video preview • Perimeter trace • 5-phase stepper motor	• Tool box • Instruction manual • Parts book • Various frames • Cap frames • Various parts and supplies	• Starter kit Prices available upon request 2-year machine, 3-year electronics and 5-year motor warranties On-site training

Mfr./Key Source	Series/Configuration/Use	Machine Features	Accessories/ Machine Options	Price/Warranties/ Training
BARUDAN AMERICA INC.	**BARUDAN BENYHE-ZQ** 2, 4, 6, 8 heads Sewing field: 450mm x 520mm Caps, flat and tubular items; large designs and jacket backs	• 15 needles • 1,000 spm • 261,000-stitch memory, expandable to 696,000 stitches • Automatic color change • Automatic thread trimmers • In-line sewing head • Radius cylinder • Adjustable table • Perimeter trace • Visual pattern preview • Automatic speed control	• Tool box • Instruction manual • Parts book • Various frames • Cap frames • Various parts and supplies • Starter kit	Prices available upon request 2-year machine, 3-year electronics and 5-year motor warranties On-site training
	BARUDAN B-2000 Singlehead Sewing field: 457mm x 279mm Personalization for most soft goods; versatility to stitch tubular, flat goods and finished caps	• 2,000 spm • 24 memory locations • 1 needle • Perimeter trace and tack • Onboard keyboard lettering • Keyboard programming • In-line sewing head • Portable • Built-in diagnostics • Automatic hoop centering • Programmable for automatic timing	• OMP 500 designs • OMP 10 alphabets • Spare parts kit • Supply kits • Frames • Cart	Prices available upon request 2-year warranty On-site training available for a fee
BERNINA OF AMERICA 3500 Thayer Court Aurora, Ill. 60504 (630) 978-2500 (630) 978-7609 fax Web site: *www.berninausa.com*	**ARTISTA EMBROIDERY SYSTEM** Sewing field: 155mm x 200mm Home sewing and embroidery	• 500 spm • Automatic thread tensioners • 7 alphabets • 35 embroidery designs • On-screen editing • Exclusive stitch processor • Free-arm embroidery • Up to seven designs can be saved in the module memory and on Personal Design Card • Auto-stop • Touch screen • Embroidery time count-down shown on-screen • Hoop re-locator • On-screen color separations • Monochrome embroidery • Rescale, rotate, position within hoop, mirror image, control density • All changes are visible on-screen • On-screen messages • Hoop recognition • Automatic needle threader (180E only) • Low bobbin sensor • Upper thread sensor • Small hoop, spacer and template • Large hoop and template • Embroidery foot #15 • Thread net • ArtLink software and cable	• Multi-spool thread stand • Various hoops • Magnifier set • Artista embroidery software • Add-on software programs • Reader/writer box • Magic Box • Bernina publications on embroidery and/or embroidery software • Additional hoops from Hoop-It-All	$4999 for Artista 180 + embroidery module; $3999 for Artista 170 + embroidery module 2 years electrical parts, 5 years printed circuit boards, 20 years mechanical parts warranty Training available at dealer, interactive CDs for learning software
	DECO EMBROIDERY MACHINE Sewing field: 110mm x 110mm Home sewing and embroidery	• 600 spm • Automatic thread tensioners • Automatic thread trimmers • 1 regular alphabet in three sizes • Exclusive cross-stitch alphabet in two sizes • 50 exclusive embroidery designs • 10 outline frames • 12 pattern outlines • Touch screen • Embroidery time count-down shown on-screen • Hoop re-locator • On-screen color separations • Monochrome embroidery • Rescale, rotate, position within hoop, mirror image • All changes are visible on-screen • On-screen messages • Automatic needle threader • Low bobbin sensor • Upper thread sensor • Medium hoop and template	• Multi-spool thread stand • Various hoops • Magnifier set • Artista embroidery software • Add-on software programs • Reader/writer box • Magic Box • Bernina publications on embroidery and/or embroidery software	$999 2 years electrical parts, 5 years printed circuit boards, 20 years mechanical parts warranty Training available at dealer, interactive CDs for learning software

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
BROTHER INTERNATIONAL CORP. 100 Somerset Corporate Blvd. Bridgewater, N.J. 08807 (908) 704-1700 (800) 432-3532 (908) 575-3810 fax Web site: *www.brother.com*	**BES-116A** Singlehead Sewing field: 450mm x 300mm (flat); 450mm x 300mm (tubular); 360mm x 85mm (wide area caps) Monogramming and personalization	• 1 needle • 1,200 spm • 480,000-stitch memory of 45 designs • Automatic thread trimmers • Single cam-driven presser foot • Jumbo bobbin • Automatic lubrication system • Trace mode • Built-in 3.5" disk drive	• Back up or move forward in stitch increments of one or 100, or by color changes or stitch counts • Noise reduction feed • Flat, tubular, caps • Narrow machine design • Solid steel frame with lockable caster and levelers	• Various oval and round tubular frames • Table assembly • 270-degree cap frame • Cap frame gauge and driver • Universal drive or network system	Prices available upon request 2-year warranty On-site training
	BES-1216AC Singlehead Sewing field: 450mm x 300mm (flats); 450mm x 300mm (tubular); 360mm x 85mm (wide area caps) Start-up business or for sample sewouts for larger or existing businesses	• 9, 12 needles • 1,200 spm • 480,000-stitch memory of 45 designs • Automatic thread trimmers • Automatic color change • Single cam-driven presser foot • Jumbo bobbin • Automatic lubrication system • Trace mode for verification of designs	• Built-in 3.5" disk drive • Back up or move forward in stitch increments of one or 100, or by color changes or stitch counts • Flat, tubular, caps • Noise reduction feed • Narrow machine design • Solid steel frame with lockable caster and levelers	• Table assembly • 270-degree cap frames • Cap frame gauge and driver • Various oval and round tubular frames • Universal drive or network system	Prices available on request 2-year warranty On-site training
	BES-1230 3 heads Sewing field: 600mm x 300mm (flats); 600mm x 300mm (tubular); 360mm x 85mm (wide area caps) Flexible: Stitch out the smallest to the largest designs	• 12 needles • 1,000 spm • 280,000-stitch memory • Automatic color change • Automatic thread trimmers • Single cam-driven presser foot • Noise reduction feed mechanism • Automatic lubrication system • Trace mode • Built-in 3.5" disk	drive • Back up or move forward in stitch increments of one or 100, or by color changes • Adjustable tubular frame holders • Flat, tubular, caps • Narrow machine design • Solid steel frame with lockable caster and levelers	• Adjustable flat, tubular and cap frames • Cap drivers and gauge	Prices available upon request 2-year warranty On-site training
	BES-1240BC 4 heads Sewing field: 400mm x 450mm (flats); 360mm x 85mm (wide area caps); 400mm x 450mm (tubular)	• 12 needles • 1,000 spm • Automatic color change • Automatic thread trimmer • Single cam-driven presser foot • Individual needle speed control handles • Networks up to four separate embroidery	machines using a single PC • Hook drive mechanism to eliminate birdnesting • Cap frame adjustment • Narrow machine design • Solid steel frame with lockable casters and levelers	• 4 cap frame drivers • 1 cap frame gauge • 8 cap frames • Adjustable tubular frame holders • Oval and round tubular frames • Table assembly	Prices available upon request 2-year warranty On-site training

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
BROTHER INTERNATIONAL CORP.	**BES-1262** 6 heads Sewing field: 400mm x 450mm (flats and tubular); 360mm x 85mm (wide area caps)	• 12 needles • 1,000 spm • Automatic color change • Automatic thread trimmers • Single cam-driven presser foot • Networks up to four separate embroidery machines using a single PC	• Individual needle speed control • Hook drive mechanism to eliminate birdnesting • Narrow machine design • Solid steel frame with lockable casters and levelers	• 6 cap frame drivers • 1 cap frame gauge • 12 cap frames • Adjustable tubular frame holders • Oval and round tubular frames	• Table assembly Prices available upon request 2-year warranty On-site training
BROTHER INTERNATIONAL (home sewing division) 100 Somerset Corporate Blvd. Bridgewater. N.J. 08807 (800) 422-7684 Web site: *www.brother.com*	**PC8500** Sewing field: 300mm x 130mm embroidery area (102mm x 102mm in optional hat hoop) Home sewing and embroidery	• 600 spm • Automatic thread trimmers • Automatic thread tensioners • LCD display • 60 designs • 4 monogram fonts • 5" high floral alphabet font • 10 frame shapes • 13 border styles • Embroidery edit	features • My Custom Stitch sewing feature • Large floral letters • Reference grid for placement • Variety of presser feet • Walking foot • Side cutter • 3 Hoops	• Hat hoop • Collar/cuff hoop • Thread stand • Bed extender • PE-Design	Prices available upon request 25-year limited warranty Training available at dealer
	ULT2002D Sewing field: 152mm x 254mm (102mm x 102mm in optional hat hoop) Home sewing and embroidery	• 800 spm • Automatic thread trimmers • Automatic thread tensioners • 54 Disney designs • 71 additional designs • 5" floral alphabet • 11 monogram fonts • 10 frame shapes • 12 border styles	• My Custom Stitch sewing feature • Embroidery edit • Full-color LCD screen • Walking foot • Wide variety of presser feet • Side cutter • Reference grid for placement • 4 hoops • Instructional CD	• 10-color thread stand • Bed extender • Additional feet • Hard carrying case • Embroidery memory card library	Prices available upon request 25-year limited warranty Training available at dealer
	PE180D Sewing field: 114mm x 114mm (102mm x 102mm in optional hat hoop) Embroidery only	• 600 spm • 40 Disney patterns • 60 additional patterns • 3 monogram fonts • 10 frame shapes • 12 border	patterns • LCD display • Instructional CD • 1 hoop • Soft cover • Reference grid for placement	• 3 other hoop styles • PE-Design • Thread stand • Memory card library	$799 25-year limited warranty Training available at dealer
DATA STITCH INC. 11255 Spur 580 W., #102 Aledo, Texas 76008 (817) 244-0171 (817) 560-4221 fax Web site: *www.datastitch.com*	**TOYOTA EXPERT AD860** Singlehead, 2, 4 heads Sewing field: 305mm x 470mm All commercial embroidery applications	• 12 needles • 1,200 spm • 120,000-stitch memory • Automatic color change • Automatic thread trimmers • Assorted tubular hoops	• Quiet • Portable • Cap kit with two 270-degree cap frames • Tubular frame holders	• Additional hoop styles • Standard and large table	Prices available upon request 1-year limited warranty Training available

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
ELNA USA 1760 Gilsinn Lane Fenton, Mo. 63026 (800) 898-3562 (800) 270-3562 fax Web site: *www.elnausa.com*	**ELNA ENVISION 8007** Sewing field: 90mm x 127mm Home sewing and embroidery	• 400 spm (embroidery) • Automatic thread tensioners • 30 utility stitches • 5 buttonholes • 35 decorative stitches • Backlit LCD display screen • 4 built-in typestyles • Needle thread sensor • Computer compatible • Drop feed dog • Automatic needle threader • Built-in thread cutter • Hard shell carrying case • Halogen sewing light		• Ruffler • Sequin & ribbon sole • Combination zipper/ cording foot • Fagoting plate • Clothsetter • Hoops	$2,399 25-year limited warranty/2-year warranty on electrical Training available at dealer
	ELNA ENVISION CE20 Sewing field: 90mm x 126mm Home sewing and embroidery	• 400 spm (embroidery) • Automatic thread tensioners • 5 memory banks • Knee lift • Sew via start/stop or foot control • LCD computer display screen • Automatic needle threader • 12 standard presser feet • Hard shell carrying case with storage • Light switch separate from • Jam-proof drop-in bobbin • CE20 Instructional Video • Accessory box		• Ruffler • Sequin & ribbon sole • Combination zipper/cording foot • Fagoting plate • Clothsetter • Hoops	$3849 25-year limited warranty/2-year warranty on electrical Training available at dealer
	ELNA XQUISIT™ Sewing field: 152mm x 254mm Home sewing and embroidery	• 850 spm (embroidery) • Automatic thread tensioners • Continuous, auto-winding Eternal Bobbin™ system • Touchless Needle system • Elna Xclusive stitches • Direct PC hookup • Full color LCD touch screen with help mode • Carrying case with wheels • Xpressive software • Envision embroidery cards • Continous hoop • Various presser feet			$5999 25-year limited warranty/2-year warranty on electrical Training available at dealer
HAPPY EMBROIDERY MACHINES INC. 3001 Stafford Drive Charlotte, N.C. 28208 (704) 394-0314 (704) 392-1621 fax E-mail: *salesinfo@texmac-usa.com* Web site: *www.happyemb.com*	**HCA-1201-40TTC** Singlehead Sewing field: 520mm x 400mm Small production runs, samples, verifier, flat, cap and tubular	• 12 needles • 1,200 spm • 244,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread • Cap kit with four sets of hoops • Additional hoop styles • Solid needle bars			Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HCG-1202-45TTC 2 heads Sewing field: 450mm x 500mm Small production runs, samples, verifier, flat, cap and tubular	• 12 needles • 1,100 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread • Cap kit with four sets of hoops • Additional hoop styles • Solid needle bars			Prices available upon request 1-year parts and labor warranty 3-day on-site training

Mfr./Key Source	Series/Configuration/Use	Machine Features	Accessories/ Machine Options	Price/Warranties/ Training
HAPPY EMBROIDERY MACHINES INC.	**HCG-1204-45TTC** 4 heads Sewing field: 360mm x 450mm Small to medium production runs, flat, cap and tubular	• 12 needles • 1,000 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive • Solid needle bars	• Cap kit with four sets of hoops • Additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HCG-1206-45TTC 6 heads Sewing field: 360mm x 450mm Medium production, tubular, flat and caps	• 12 needles • 900 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive • Solid needle bars	• Cap kit with five sets of hoops • Additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HCGX-1204-45TTC 4 heads Sewing field: 500mm x 450mm	Small to medium production, tubular, flat and caps • 12 needles • 1,000 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive • Solid needle bars	• Cap kit with five sets of hoops • Additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HCM-720N-30TTC 20 heads Sewing field: 250mm x 300mm Large production, cap and tubular	• 7 needles • 700 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive • Solid needle bars	• Two sets of hoops • Cap kit with additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HCM-1006-36TTC 6 heads Sewing field: 450mm x 360mm Medium production, flat, cap and tubular	• 10 needles • 800 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive • Solid needle bars	• Cap kit with four sets of hoops • Additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HCM-1212-48TTC 12 heads Sewing field: 460mm x 480mm Large production/large field, tubular, flat, cap	• 12 needles • 800 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive • Solid needle bars	• Hoop sets • Cap kit with additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training

Mfr./Key Source	Series/Configuration/Use	Machine Features	Accessories/ Machine Options	Price/Warranties/ Training
HAPPY EMBROIDERY MACHINES INC.	**HCM-1212-30TTC** 12 heads Sewing field: 320mm x 320mm Large production, tubular, flat, cap	• 12 needles • 800 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive • Solid needle bars	• Four sets of hoops • Cap kit with additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HCM-1212N-30TTC 12 heads Sewing field: 320mm x 320mm Large production, tubular, flat, cap	• 12 needles • 800 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive • Solid needle bars	• Four sets of hoops • Cap kit with additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HCM-1216-36TTC 16 heads Sewing field: 450mm x 360mm Large production, tubular, flat, cap	• 12 needles • 800 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive • Solid needle bars	• Five sets of hoops • Cap kit with additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HMF-720A-48TTC 20 heads Sewing field: 240mm x 480mm Large production, flat	• 7 needles • 700 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive • Solid needle bars	• Four sets of hoops • Cap kit with additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HMF-1015-58TTC 15 heads Sewing field: 360mm x 580mm Large production, flat	• 10 needles • 750 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive • Solid needle bars	• Three sets of hoops • Additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HMF-L816-48TTC 16 heads Sewing field: 480mm x 310mm Large production, flat	• 8 needles • 800 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive • Solid needle bars	• Three sets of hoops • Additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
HAPPY EMBROIDERY MACHINES INC.	**HMF-L1012-48TTC** 12 heads Sewing field: 480mm x 335mm Large production, flat	• 10 needles • 800 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread	break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive	• Solid needle bars • Three sets of hoops • Additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HMF-S812-48TTC 12 heads Sewing field: 480mm x 335mm Large production, flat	• 8 needles • 800 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread	break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive	• Solid needle bars • Three sets of hoops • Additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HMF-W820-58TTC 20 heads Sewing field: 240mm x 580mm Large production, flat	• 8 needles • 700 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread	break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive	• Solid needle bars • Three sets of hoops • Additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
	HMF-W1018-48TTC 18 heads Sewing field: 300mm x 480mm Large production, flat	• 8 needles • 750 spm • 259,000-stitch memory • Automatic color change • Automatic thread trimmers • Rotary thread	break sensors • All-steel head parts • Universal needle plates • Cam-style direct driven/positive drive	• Solid needle bars • Three sets of hoops • Additional hoop styles	Prices available upon request 1-year parts and labor warranty 3-day on-site training
JANOME AMERICA INC. 10 Industrial Ave. Mahwah, N.J. 10923 (201) 825-3200 (201) 825-1488 fax Web site: *www.janome.com*	**MEMORY CRAFT 10000** Home sewing and embroidery Sewing field: 140mm x 200mm (embroidery)	• 800 spm • Automatic tensioners • 3 fonts • 2-letter and 3-letter monograms • Can be directly connected to a computer • Transmit embroidery via compact	flash cards • Machine software can be updated via the Internet • 2 hoops • 14 standard presser feet • Hard cover	• Customizer 10000 software • Digitizer 10000 software • Giga Hoop • Free-Arm Hoop • Clothsetter 10000 placement tool	$5,499 20-year warranty for defects in materials or workmanship/ 2 years for electrical and/ or electronic equipment Call dealer for training information
MELCO EMBROIDERY SYSTEMS 1575 W. 124th Ave. Denver, Colo. 80234 (303) 457-1234 (800) 36-MELCO (303) 252-0508 fax Web site: *www.melco.com*	**AMAYA** 1 to 30 heads Sewing field: 500mm x 430mm, wide cap 358mm x 70mm Flats, tubular, caps	• 16 needles • 1,500 spm • Memory limited only by hard drive, max file size 500K • Automatic color change • Automatic thread trimmers • Patented anti-feed thread tensioning	technology • Automatic thread tensioning • Laser eye • Simplified user interface (ACPS) • Built-in tutorials • Cap frame systems • Cart • Hoops	• Wide array of accessories available	Price available upon request 1-year parts and labor warranty Software tutorials included, machine training available

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
PANTOGRAMS MFG. CO. INC. 4537 S. Dale Mabry Highway Tampa, Fla. 33611 (813) 839-5697 (800) 872-1555 (813) 831-0441 fax E-mail: *sales@pantograms.com* Web site: *www.pantograms.com*	**TOYOTA EXPERT 851** Singlehead Sewing field: 305mm x 457mm, wide cap 74mm x 358mm For large, bulky flat goods, tubular garments and even caps	• 1 needle • 1,200 spm • Up to 99 different-jobs memory • Color change signal • Automatic thread trimmer • Thread break sensor • Memory backup • Automatic trace	• Move hoop • Portable • Quiet • Telemetry-ready • Satin adjustment • Mirror and rotate • Pattern repeat • Stitch counter	• Wide cap frame • Tubular frame attachment • Steel machine stands • Cool halogen lighting • Extension table • Assorted hoops • Attachable worktables	Price available upon request
	TOYOTA PATCHMASTER EXPERT 851 Singlehead Sewing field: flat 305mm x 305mm, wide cap 74mm x 358mm Heavy duty embroidered patch production system	• 1 needle • 1,200 spm • Up to 99 different-jobs memory • Color-change signal • Automatic thread trimmer • Thread break sensor	• Memory backup • Automatic trace • Move hoop • Portable • Telemetry-ready • Quiet • Satin adjustment • Mirror and rotate • Pattern repeat • Stitch counter	• Wide cap frame • Stock designs • Machine accessory kit • Tubular frame attachment • Heavy-duty steel frame with casters • Steel workstation • Halogen lighting • Extension table • Assorted hoops • Attachable worktables	Prices available upon request
	TOYOTA EXPERT 860 Singlehead Sewing field: 305mm x 457mm, wide cap 74mm x 358mm Heavy duty machine for caps, flat and tubular goods	• 12 needles • 1,200 spm • Thread break sensor • Bobbin counter • Pattern repeat • Mirror and rotate • Automatic trace • Move hoop	• Memory backup • Stitch counter • Telemetry-ready • Disk reader • Satin adjustment • Quiet • Up to 99 different jobs memory • Portable	• Tubular frame attachments • Steel workstation • Halogen light • Wide cap frame • Assorted hoops • Machine accessory kit • Extension table	Prices available upon request 1-year warranty Up to 3 days of training with software
	TOYOTA TRIPLEHEADER EXPERT 860-3 3 heads (modular up to 13 heads) Sewing field: 305mm x 457mm, wide cap 74mm x 358mm Modular multihead system for productive embroidery on caps, tubular and flat goods	• 12 needles • 1,200 spm • Up to 99 different-jobs memory • Automatic color change • Automatic thread trimmers • Reads, writes and edits designs • Keyboard lettering • Memory backup	• Thread break sensor • Automatic trace • Offset • Pattern repeat • Satin adjustment • Mirror and rotate • Stitch counter • Disk reader • Telemetry-ready • Bobbin counter	• Wide cap frames • Computer system with editing software • Heavy-duty steel frame with casters • Assorted hoops • Accessory kit • Extension tables • Lighted workstation	Prices available upon request
	TOYOTA PATCHMASTER DELUXE SERIES Singlehead Sewing field: 305mm x 457mm, wide cap 74mm x 358mm Heavy duty embroidered patch production system w/ automatic color change	• 12 needles • Up to 99 different stitch-memory • Deluxe machine and accessory work station • Patch blank assortment • 14" LCD monitor • PC with CD-ROM drive • Starter supply kit with 12-patch holder and 9-patch holder • Complete hoop and	accessory package for full-service embroidery on shirt and jackets • Automatic thread trimming • Thread break sensor • Memory backup • Automatic trace • Move hoop • Portable • Telemetry-ready • Wide cap frame • Tubular frame attachment	• Stock designs • Tools • Machine accessory kit • Tubular frame attachment • Heavy-duty steel frame with casters • Steel workstation • Halogen lighting • Extension table • Assorted hoops • Attachable worktables	Price available upon request

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
PFAFF/NBT 4761 S. Highway 27 Somerset, Ky. 42503 (606) 679-5078 (800) 879-2264 (606) 679-6389 fax E-mail: *nbtech@earthlink.net*	**F8101** Singlehead Sewing field: 495mm x 381mm All embroidery and monogram applications	• 1 needle • 1,500 spm • Unlimited memory capacity • Automatic thread trimmers • 300-degree cap system • Flat, tubular work	• Monogram from operation keyboard • Thread break sensors • No head lubrication • Contour trace feature	• Lettering and editing software • Hoop package with cap system • Bobbin winder • Design package • Starter kit • Boring device • Digitizing systems	Price available upon request 1-year parts and labor warranty 3-day training
	F8110 Singlehead Sewing field: 495mm x 381mm All embroidery and monogram applications	• 10 needles • 1,500 spm • Unlimited memory capacity • Automatic color change • Automatic thread trimmers • 300-degree cap frame	• Flat, tubular work • Thread break sensors • No head lubrication • Monogram from operation keyboard • Contour trace feature	• Lettering and editing software • Hoop package with cap system • Bobbin winder • Design package • Starter kit • Boring device • Digitizing systems	Price available upon request 1-year parts and labor 3-day training
	F8210 2 heads Sewing field: 546mm x 381mm All embroidery and monogram applications	• 10 needles • 1,000 spm • Automatic color change • Automatic thread trimmers • Unlimited memory capacity • 300-degree cap frame	• Flat, tubular work • Thread break sensors • Monogram from operation keyboard • Contour trace feature • No head lubrication	• Lettering and editing software • Hoop package with cap system • Bobbin winder • Design package • Starter kit • Boring device • Digitizing systems	Price available upon request 1-year parts and labor warranty 3-day training
	F8410 4 heads Sewing field: 337mm x 445mm All embroidery and monogram applications	• 4 needles • 1,000 spm • Automatic color change • Automatic thread trimmers • Unlimited memory capacity • 300-degree cap frame • Flat, tubular work • Thread break sensors • Monogram from operation	keyboard • Contour trace feature • No head lubrication • Lettering and editing software • Hoop package with cap system • Bobbin winder • Design package • Starter kit • Boring device • Digitizing systems		Price available upon request 1-year parts and labor warranty 3-day training
	F8610 6 heads Sewing field: 337mm x 445mm All embroidery and monogram applications	• 6 needles • 1,500 spm • Automatic color change • Automatic thread trimmers • Unlimited memory capacity • 300-degree cap frame • Flat, tubular work • Thread break sensors • Monogram from operation keyboard	• Contour trace feature • No head lubrication • Lettering and editing software • Hoop package with cap system • Bobbin winder • Design package • Starter kit • Boring device • Digitizing systems		Price available upon request 1-year parts and labor warranty 3 days training

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
PFAFF/NBT	**SM3-CV300** 4, 6, 8, 10, 12 heads Sewing field: 430mm x 450mm All embroidery applications, flat, tubular, caps	• 8 needles • 1,200 spm • Automatic color change • Automatic thread trimmers • 230,000-stitch memory capacity • Cap production at 1,200 spm	• Thread break sensors • Jumbo bobbins • Soft tension system • Thread break monitors	• Hoop package • 270-degree cap frame • Boring device • Digitizing system	Price available upon request 1-year parts and labor warranty 5 days on-site training
	SM3-FB200 10, 12, 15, 18, 20 heads Sewing field: 500mm x 750mm; 500mm x 1,000mm All embroidery applications from delicate to heavy materials	• 8 needles • 1,200 spm • Automatic color change • Automatic thread trimmers • 230,000-stitch memory capacity	• Thread break sensors • Automatic lubrication • Soft tension system • Jumbo bobbins	• Border frame • Hoops	Price available upon request 1-year parts and labor warranty 5 days on-site training
	SM3 222/2-500 Singlehead, 2 heads Sewing field: 1,016mm x 495mm All embroidery and monogram applications	• 8 needles • 1,200 spm • Automatic color change • Automatic thread trimmers • 230,000-stitch memory capacity • Exchangeable embroidery heads	• Height adjustable presser feet • No jump stitches • Bobbin winder • Thread break monitors • Centralized oiling	• Hoop package • Cap frames and drivers • Border frame • Cording device	Price available upon request 1-year warranty Training included
RENAISSANCE EMBROIDERY MACHINES 2751 Electronic Lane Dallas, Texas 75220 (214) 352-6940 (800) 528-8305 (214) 352-7249 fax Web site: *www.renaissance-machine.com*	**RENAISSANCE SINGLEHEAD** Sewing field: 356mm x 317.5mm, 63.5mm x 152mm (cap area) For general commercial use, employed separately or connected with other machines. Excellent for small orders and samples	• 12 needles • 900 spm • Unlimited memory • Automatic color change • Automatic thread trimmers • All-metal heads • Assigns needles and colorizes automatically • Assigns hoop size • Multihead or singlehead functionality	• Great Notions' Renaissance Design Collection with over 4,200 stock designs • 10 classic Lettering Pro™ fonts • Smart Sizer ™ Gold Pro • Six hoops	• Cap attachment	$5,999 1-year parts and labor. Unlimited attendance at regional training sessions, illustrated operating manual, training CD-ROM and troubleshooting guide. Telephone technical support
SWF/SUNSTAR SWF East Inc. 6807 S. MacDill Tampa, Fla. 33625 (813) 832-6830 (877) 793-3278 (813) 839-2896 fax Web site: *www.swfeast.com*	**SWF/A-T1201C, SWF/A-T601C** Singlehead Sewing field: 450mm x 300mm	• 6 + 12 needles • 1,200 spm • Automatic color change • Automatic thread trimmers • 1 million-stitch memory	• Self-lubricating • Assorted hoops • Cap frames • Machine lights • LCD screen		Prices available upon request 2-year warranty
	SWF/A-T1501 Singlehead Sewing field: 518mm x 358mm	• 15 needles • 1,200 spm • Automatic color change • Automatic thread trimmers • 1 million-stitch memory	• Border frame • Self-lubricating • Assorted hoops • Cap frames • High resolution color LCD monitor		Prices available upon request 2-year warranty

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
SWF/SUNSTAR	**SWF/A-UK1502** 2 heads Sewing field: 501mm x 450mm	• 15 needles • 1,000 spm • Automatic color change • Automatic thread trimmers • 1 million-stitch memory • Border frame • Self-lubricating • Assorted hoops	• Cap frames • Machine lights • LCD screen		Prices available upon request 2-year warranty
	SWF/A-UK1504 4 heads Sewing field: 501mm x 450mm	• 15 needles • 1,000 spm • Automatic color change • Automatic thread trimmers • 1 million-stitch memory • Border frame • Self-lubricating • Assorted hoops	• Cap frames • Machine lights • High resolution color LCD monitor		Prices available upon request 2-year warranty
	SWF/A-UK1506 6 heads Sewing field: 500mm x 450mm	• 15 needles • 1,000 spm • Automatic color change • Automatic thread trimmers • 1 million-stitch memory • Border frame • Self-lubricating • Assorted hoops	• Cap frames • Machine lights • High resolution color LCD monitor		Prices available upon request 2-year warranty
	SWF/A-UH1506C 6 heads Sewing field: 500mm x 450mm	• 15 needles • 1,000 spm • Automatic color change • Automatic thread trimmers • 1 million-stitch memory • Border frame • Self-lubricating • Assorted hoops	• Cap frames • Machine lights • High resolution color LCD monitor		Prices available upon request 2-year warranty
	SWF/A-UI1212-45 12 heads Sewing field: 430mm x 400mm	• 12 needles • 850 spm • Automatic color change • Automatic thread trimmers • 1 million-stitch memory • Border frame • Self-lubricating • Assorted hoops • Cap frames	• Machine lights • High resolution color LCD monitor		Prices available upon request 2-year warranty

Mfr./Key Source	Series/Configuration/Use	Machine Features	Accessories/ Machine Options	Price/Warranties/ Training
TAJIMA AMERICA CORP. 550 Commerce St. Franklin Lakes, N.J. 07417 (201) 405-1201 (800) 869-9776 (201) 405-1205 fax Web site: *www.tajima-embroidery.com*	**TFGN SERIES** 12, 15, 18, 20, 30 heads Sewing Field: 450mm, 550mm or 680 mm x 200mm, 275mm, 330mm, 360mm, 400mm or 480mm	• 6, 9, 12, 15 needles • 1,100 spm • 1 million-stitch memory (2 million-stitch memory with optional LCD panel) • New frame driving method with AC servo motors and ball screws • Rotary-type thread breakage detection system • Adjustable thread take-up system • Take-up lever guard • Advanced noise reduction system • New stand structure • Jog remote controller • Embroidery data management • Satin stitch reduction and expansion • Clean-up function • Condition memory • Scale up/down, rotate function • Automatic repeat function • Frame back/ forward function • Origin return • Trace function • Automatic offset/ manual offset • Marking • Automatic upper/ under thread trimming device (ATH) • Power failure control measures • Built-in floppy disk drive • Standard frames and accessories • Easy-to-operate standard operation panel • 12.1 inch color LCD touch panel • Automatic lubrication system • Jumbo rotary hook • Auto frame changer • Sequin device • Bobbin changer • High-speed cording device • Boring device • Lamé embroidery attachment • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available
	TMFN SERIES 10, 12, 15, 18, 20, 24, 30 heads Sewing field: 450mm, 550mm, or 680mm x 200mm, 275mm, 330mm, 360mm, 400mm or 480mm	• 6, 9, 12, 15 needles • 1,000 spm • 640,000-stitch memory • Rotary type thread breakage detection system • Adjustable thread take-up system • Take-up lever guard • Production management function • Satin stitch reduction and expansion • Clean-up function • Condition memory • Scale up/down, rotate function • Automatic repeat function • Frame back/forward function • Origin return • Trace function • Automatic offset/ manual offset • Marking • Automatic upper/ under thread trimming device (ATH) • Power failure control measures • Built-in floppy disk drive • Standard frames and accessories • Standard color LCD touch panel • Automatic lubrication system • Jumbo rotary hook • Auto frame changer • Bobbin changer • High-speed cording device • Boring device • Lamé embroidery attachment • Additional 1.3 million-stitch memory • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available

Mfr./Key Source	Series/Configuration/Use	Machine Features	Accessories/ Machine Options	Price/Warranties/ Training
TAJIMA AMERICA CORP.	**TMFXV SERIES** 10, 12, 15, 18, 20, 24, 30 heads Sewing field: 450mm, 550mm, 680mm, 1,000mm, or 1,200mm x 200mm, 275mm, 330mm, 360mm, 400mm, 480mm or 550(W)mm • 6, 9, 12, 15 needles • 1,000 spm • 1.14 million-stitch memory • Take-up lever guard • Noise reduction system • Cross-type Z-drive system • Main shaft drive system • Design data management • Satin stitch reduction and expansion • Clean-up function • Scale up/down, rotate function • Automatic repeat function • Frame back/ forward function • Origin return • Automatic offset/ manual offset • Automatic upper/ under thread trimming device (ATH) • Built-in floppy disk drive • Standard frames and accessories • Automatic lubrication system • Jumbo rotary hook • Under thread controller • Bobbin changer • High-speed cording device • Boring device • Lamé embroidery attachment • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available
	TFHX SERIES 2, 4, 6, 8, 12 heads Sewing field: 450mm, 550mm, 680mm, 1,000mm or 1,200mm x 345mm, 400mm, 450mm, 500mm, 550Wmm or 600Wmm • 6, 9, 12 needles • 1,000 spm • 1.14 million-stitch memory (2 million-stitch memory with optional LCD panel) • Rotary type thread breakage detection system • Adjustable thread take-up system • Take-up lever guard • Advanced noise reduction system • Embroidery data management • Satin stitch reduction and expansion • Clean-up function • Condition memory • Scale up/down, rotate function • Automatic repeat function • Frame back/ forward function • Origin return • Trace function • Automatic offset/ manual offset • Automatic upper/ under thread trimming device (ATH) • Power failure control measures • Built-in floppy disk drive • Standard frames and accessories • Easy-to-operate standard operation panel • 12.1 inch color LCD touch panel • Jog remote controller • Automatic lubrication system • Jumbo rotary hook • Bobbin changer • High-speed cording device • Boring device • Lamé embroidery attachment • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available

Mfr./Key Source	Series/Configuration/Use	Machine Features	Accessories/ Machine Options	Price/Warranties/ Training
TAJIMA AMERICA CORP.	**TFHX-II SERIES** 4 and 6 heads Sewing Field: 450mm x 360mm • 9, 12 needles • 1,000 spm	• 1.14 million-stitch memory (2 million-stitch memory with optional LCD panel) • Rotary type thread breakage detection system • Adjustable thread take-up system • Take-up lever guard • Advanced noise reduction system • Embroidery data management • Satin stitch reduction and expansion • Clean-up function • Condition memory • Scale up/down, rotate function • Automatic repeat function • Frame back/ forward function • Origin return • Trace function • Automatic offset/ manual offset • Automatic upper/ under thread trimming device (ATH) • Power failure control measures • Built-in floppy disk drive • Standard frames and accessories • Easy-to-operate standard operation panel • 12.1 inch color LCD touch panel • Jog remote controller • Automatic lubrication system • Jumbo rotary hook • Bobbin changer • High-speed cording device • Boring device • Lamé embroidery attachment • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available
	TMFN-C SERIES 10, 12, 15 heads Sewing Field: 450mm or 550 mm x 360mm, 400mm, 460mm or 530mm	• 6, 9, 12, 15 needles • 1,000 spm • 640,000-stitch memory • Rotary type thread breakage detection system • Adjustable thread take-up system • Take-up lever guard • Production management function • Satin stitch reduction and expansion • Clean-up function • Condition memory • Scale up/down, rotate function • Automatic repeat function • Frame back function • Origin return • Trace function • Automatic offset/ manual offset • Marking • Automatic upper/ under thread trimming device (ATH) • Power failure control measures • Built-in floppy disk drive • Uni-sash easy frame exchange system • Narrow cylinder • Standard frames and accessories • Standard color LCD touch panel • Automatic lubrication system • Jumbo rotary hook • High-speed cording device • Boring device • Lamé embroidery attachment • Additional 1.3 million-stitch memory • Tubular frames • Wide cap frames • Semi-wide cap frames • Child cap frames • Baby cap frames • Cylindrical frames • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available

Mfr./Key Source	Series/Configuration/Use	Machine Features	Accessories/ Machine Options	Price/Warranties/ Training
TAJIMA AMERICA CORP.	**TMFXV-C Series** 8, 10, 12, 15 heads Sewing Field: 450mm or 550 mm x 360mm, 400mm, 460mm or 530mm	• 6, 9, 12, 15 needles • 1,000 spm • 1.14 million-stitch memory • Take-up lever guard • Noise reduction system • Cross-type Z-drive system • Main shaft drive system • Design data management • Satin stitch reduction and expansion • Clean-up function • Scale up/down, rotate function • Automatic repeat function • Frame back/ forward function • Origin return • Automatic offset/ manual offset • Automatic upper/ under thread trimming device (ATH) • Built-in floppy disk drive • Uni-sash easy frame exchange system • Narrow cylinder • Standard frames and accessories • Automatic lubrication system • Jumbo rotary hook • Under thread controller • High-speed cording device • Boring device • Lamé embroidery attachment • Tubular frames • Wide cap frames • Semi-wide cap frames • Child cap frames • Baby cap frames • Cylindrical frames • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available
	TEHX-C SERIES 6, 12, 15, 18 heads Sewing Field: 360mm x 275mm, 360mm or 500mm	• 9, 12, 15 needles • 900 spm • 1.14 million-stitch memory (2 million-stitch memory with optional LCD panel) • Rotary type thread breakage detection system • Adjustable thread take-up system • Take-up lever guard • Embroidery data management • Satin stitch reduction and expansion • Clean-up function • Condition memory • Scale up/down, rotate function • Automatic repeat function • Frame back/ forward function • Origin return • Trace function • Automatic offset/ manual offset • Automatic upper/ under thread trimming device (ATH) • Power failure control measures • Built-in floppy disk drive • Uni-sash easy frame exchange system • Narrow cylinder • Standard frames and accessories • Easy-to-operate standard operation panel • 12.1 inch color LCD touch panel • Jog remote controller • Automatic lubrication system • Jumbo rotary hook • High-speed cording device • Boring device • Lamé embroidery attachment • Tubular frames • Wide cap frames • Semi-wide cap frames • Child cap frames • Baby cap frames • Cylindrical frames • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available

Mfr./Key Source	Series/Configuration/Use	Machine Features	Accessories/ Machine Options	Price/Warranties/ Training
TAJIMA AMERICA CORP.	**TFHX-C SERIES** 4 and 6 heads Sewing Field: 450mm x 500mm	• 9, 12, 15 needles • 1,000 spm • 1.14 million-stitch memory (2-million stitch memory with optional LCD panel) • Rotary type thread breakage detection system • Adjustable thread take-up system • Take-up lever guard • Embroidery data management • Satin stitch reduction and expansion • Clean-up function • Condition memory • Scale up/down, rotate function • Automatic repeat function • Frame back/ forward function • Origin return • Trace function • Automatic offset/ manual offset • Automatic upper/ under thread trimming device (ATH) • Power failure control measures • Built-in floppy disk drive • Narrow cylinder • Standard frames and accessories • Easy-to-operate standard operation panel • 12.1 inch color LCD touch panel • Jog remote controller • Automatic lubrication system • Jumbo rotary hook • High-speed cording device • Boring device • Lamé embroidery attachment • Tubular frames • Wide cap frames • Semi-wide cap frames • Child cap frames • Baby cap frames • Cylindrical frames • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available
	TFHX-IIC SERIES 2, 4, 6, 8 heads Sewing Field: 450mm x 360mm or 500 mm	• 15 needles • 1,000 spm • 1.14 million-stitch memory (2 million-stitch memory with optional LCD panel) • Rotary type thread breakage detection system • Adjustable thread take-up system • Take-up lever guard • Embroidery data management • Satin stitch reduction and expansion • Clean-up function • Condition memory • Scale up/down, rotate function • Automatic repeat function • Frame back/ forward function • Origin return • Trace function • Automatic offset/ manual offset • Automatic upper/ under thread trimming device (ATH) • Power failure control measures • Built-in floppy disk drive • Narrow cylinder • Standard frames and accessories • Easy-to-operate standard operation panel • 12.1 inch color LCD touch panel • Jog remote controller • Automatic lubrication system • Jumbo rotary hook • High-speed cording device • Boring device • Lamé embroidery attachment • Tubular frames • Wide cap frames • Semi-wide cap frames • Child cap frames • Baby cap frames • Cylindrical frames • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available

Mfr./Key Source	Series/Configuration/Use	Machine Features	Accessories/ Machine Options	Price/Warranties/ Training
TAJIMA AMERICA CORP.	**TEHX-C1501** Singlehead Sewing field: 360mm x 520mm	• 15 Needles • 1,200 spm • 1.14 million-stitch memory (2 million-stitch memory with optional LCD panel) • Rotary type thread breakage detection system • Adjustable thread take-up system • Take-up lever guard • Embroidery data management • Satin stitch reduction and expansion • Clean-up function • Condition memory • Scale up/down, rotate function • Automatic repeat function • Frame back/forward function • Origin return • Trace function • Automatic offset/manual offset • Automatic upper/under thread trimming device (ATH) • Power failure control measures • Built-in floppy disk drive • Narrow cylinder • Standard frames and accessories • Easy-to-operate standard operation panel • 12.1 inch color LCD touch panel • Jog remote controller • Automatic lubrication system • Jumbo rotary hook • High-speed cording device • Boring device • Lamé embroidery attachment • Tubular frames • Wide cap frames • Semi-wide cap frames • Child cap frames • Baby cap frames • Cylindrical frames • Auto ribbon feeding device • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available
	TMCE SERIES 1, 2, 4, 10, 12 heads Sewing field: 450mm or 680mm x 360mm, 400mm, 480mm, 500mm or 550mm Chenille embroidery	• 6 colors • 600 rpm (700 rpm for singlehead) • 240,000-stitch memory • Feed-back control • Automatic lift-up mechanism • Automatic stitch exchange • Automatic needle height adjusting mechanism • Design rotate function • Automatic repeat function • Frame back/forward function • Origin return • Automatic offset/manual offset • Tie-off function • Thread breakage detect function • Clutch function • Built-in floppy disk drive • Standard frames and accessories • Cording device • Taping device • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available

Mfr./Key Source	Series/Configuration/Use	Machine Features	Accessories/ Machine Options	Price/Warranties/ Training
TAJIMA AMERICA CORP.	**TMCE MIX SERIES** 2, 8, 10, 12 pairs Sewing field: 450mm or 680mm x 480mm, 550mm or 570mm Chenille and flat embroidery	• 6 colors for chenille; 9 or 12 needles for flat embroidery • 600 rpm for chenille • 850 rpm for flat embroidery (800 rpm for two-paired type) • 240,000-stitch memory • Feed-back control • Automatic lift-up mechanism • Automatic stitch exchange • Automatic needle height adjusting mechanism • Design rotate function • Automatic repeat function • Frame back/ forward function • Origin return • Automatic offset/ manual offset • Automatic upper/ under thread trimming device (ATH) • Tie-off function • Thread breakage detect function • Clutch function • Built-in floppy disk drive • Standard frames and accessories • Cording device • Taping device • Boring device • Lamé embroidery attachment • Jumbo rotary hook • Under thread controller • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available
	TMLH SERIES 2, 6, 8, 9 pairs Sewing field: 680mm x 550mm, 600mm or 645mm Lock stitch chenille and flat embroidery	• 6, 9, 12 needles • 850 rpm • 640,000-stitch memory • Independent zigzag swing device • Auto stitch methods selecting mechanism • Nipple stroke adjustment • Zigzag swing stitch data generator • Accurate M-axis drive mechanism • M-axis base return • Auto nipple lifter • Special tape/cord guide • Scale up/down, rotate function • Automatic repeat function • Origin return • Frame back/forward function • Automatic offset/ manual offset • Automatic upper/ under thread trimming device (ATH) • Built-in floppy disk drive • Power resume • Standard frames and accessories • Automatic lubrication system • Jumbo rotary hook • Under thread controller • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
TAJIMA AMERICA CORP.	**TMLH-100 SERIES** 8, 10, 12 heads Sewing field: 680mm x 345mm, 680mm x 400mm, 680mm x 500mm Lock stitch chenille embroidery	• 850 rpm • 640,000-stitch memory • Independent zigzag swing device • Auto thread tensioning mechanism • Auto stitch methods selecting mechanism • Nipple stroke adjustment • Zigzag swing stitch data generator • Accurate M-axis drive mechanism • M-axis base return • Auto nipple lifter • Special tape/cord guide • Scale up/down, rotate function	• Automatic repeat function • Origin return • Frame back/ forward function • Automatic offset/ manual offset • Automatic upper/ under thread trimming device (ATH) • Built-in floppy disk drive • Power resume • Standard frames and accessories • Automatic lubrication system • Jumbo rotary hook • Under thread controller • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available
	TLFDII SERIES 4 pairs Sewing field: 680mm x 550mm Laser cutting and flat embroidery	• 9, 12 needles • 850 spm • 304,000-stitch memory • Twin lenses • Automatic needle bar selector • Laser power adjustment function • Laser speed setting function • Laser step repetition • Emergency stop switch • Safety shutter • Key-lock switch • Interlock • Signal tower with buzzer • Laser protective cover • Dust catcher/ deodorizer • Independent take-up lever drive system	• Scale up/down, rotate function • Automatic repeat function • Frame back/ forward function • Origin return • Automatic offset/ manual offset • Automatic upper/ under thread trimming device (ATH) • Power failure control measures • Built-in floppy disk drive • Standard frames and accessories • Jumbo rotary hook • Under thread controller • Boring device • Cording device • Lamé embroidery attachment • Beam sensor		Contact distributor for pricing 1-year parts and labor warranty Training available
ZSK USA INC. 248 Sheep Davis Road Concord, N.H. 03301 (603) 228-3666 (800) 525-2366 (603) 228-1929 fax	**JF0111-500** Singlehead Sewing field: 500mm x 500mm; 395mm x 405mm tubular Standard, tubular and cap embroidery	• 11 needles • 1,000 spm • Automatic color change • Automatic thread trimmers • 1.2 GB stitch memory (1,000 designs) • TFT control unit • Design transferable by disk online	• Electronic monitoring • Conversion from flat to tubular to cap embroidery • Cap frames • Five standard sizes of hoops • Tool/accessory kit	• Hoops and frames of various sizes • Boring, sequin, cord/ loop and double cord (string) devices • Additional cap frames • Spare parts • Paper tape reader • Bobbin winder and modem	Price available upon request 1-year warranty for defective parts, including labor. Training included with installation at customer's facility

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
ZSK USA INC.	**JF0211-495, JF0411-400, JF0411-495, JF0611-400, JF0611-495, J0811-400, T1011-495, T1211-400** 2, 4, 6, 8 heads Sewing field: JF0211-495: 495mm x 500mm, 300mm x 405mm tubular; JF0411-400: 400mm x 500mm, 300mm x 405mm tubular; J0411-495: 495mm x 500mm, 395mm x 405mm tubular; JF0611-400: 400mm x 500mm, 300mm x 405mm tubular; JF0611-495: 495mm x 500mm, 395mm x 405mm tubular; J0811-400: 400mm x 500mm, 300mm x 405mm tubular For standard, tubular and cap embroidery	• 11 needles • 1,000 spm • Automatic color change • Automatic thread trimmers • TFT control unit • Design transferable by disk online • Electronic monitoring • Connections for modem	• Conversion from flat to tubular to cap embroidery • Cap frames • Five standard sizes of hoops • Tool/accessory kit	• Various size hoops and frames • Boring, sequin, cord/ loop and double cord (string) devices • Additional cap frames • Spare parts • Paper tape reader • Bobbin winder and modem	Price available upon request 1-year warranty for defective parts, including labor. Training included with installation at customer's facility
	MCF08, MCF10, MCF12, MCF18 8, 10, 12, 18 heads Sewing field: MCF08: 495mm x 500mm; MCF10: 400mm x 500mm; MCF12: 330mm x 500mm; MCF18: 240mm x 500mm (sewing fields also available in 700mm) Continuous border and single unit designs	• 5, 9, 11 needles • 1,000 spm • Automatic color change • Automatic thread trimmers • 1.2GB+ stitch memory • LCD operating unit • Tool/accessory kit • Border frame • Adjusting rail • Various size hoops and frames • Boring, sequin,	cord/loop and double cord (string) devices • Spare parts • Paper tape reader • Bobbin winder and modem • TFT controller		Price available upon request 1-year warranty for defective parts, including labor. Training included with installation at customer's facility
	LCF04, LCF10, LCF12, LCF15, LCF20 D 4, 10, 12 heads Sewing field: LCF04: 1,050mm x 1,000mm; LCF10: 480mm x 500mm; LCF12: 400mm x 500mm; LCF15: 330mm x 500mm; LCF20 D: 240mm x 500mm (LCF10, LCF12, LCF15 and LCF20 D also available in 700mm) Continuous border and single unit designs	• 9, 11 needles • 1,000 spm (LCF04 and LCF20 D are 850 spm) • Automatic color change • Automatic thread trimmers • 1.2 GB+ stitch memory • LCD operating unit	• Border frame • Adjusting rail • Tool/accessory kit	• Various size hoops and frames • Boring, sequin, cord/loop and double cord (string) devices • Spare parts • Paper tape reader • Bobbin winder and modem • TFT control unit	Price available upon request 1-year warranty for defective parts, including labor. Training included with installation at customer's facility

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
ZSK USA INC.	**XCF12, XCF15, XCF18, XCF20 D, XCF25 D** 12, 15, 18, 20, 25 heads Sewing field: XCF12: 495mm x 500mm; XCF15: 400mm x 500mm; XCF18: 330mm x 500mm; XCF20 D: 300mm x 1,200mm; XCF25 D: 240mm x 500mm (700/1,000mm also available for XCF12, XCF15, XCF18 and XCF25 D) Continuous border and single unit designs	• 9, 11, 15 needles • 900 spm (XCF25 D is 850 spm) • Automatic color change • Automatic thread trimmers • 1.2 GB+ stitch memory • LCD operating unit • Border frame • Adjusting rail • Tool/accessory kit • Various size hoops and frames • Spare parts • Paper tape reader	• Bobbin winder and modem • Boring, cord/loop, sequin and double cord (string) devices • TFT controller		Prices available upon request 1-year warranty for defective parts, including labor Training included with installation at customer's facility
	XLCF10, XLCF20 D, XLCF22 D 10, 20, 22 heads Sewing field: XLCF10: 600mm x 1,000mm; XLCF20 D: 300mm x 500mm; XLCF22 D: 275mm x 500mm (700/1,000mm also available for XLCF20 D and XLCF22 D) Continuous border and single unit designs	• 9, 11, 15 needles • 900 spm • Automatic color change • Automatic thread trimmers • 1.2 GB+ stitch memory	• LCD operating unit • Border frame • Adjusting rail • Tool/accessory kit	• Various size hoops and frames • Spare parts • Paper tape reader • Bobbin winder and modem • Boring, cord/loop, sequin and double cord (string) devices • TFT controller	Prices available upon request 1-year warranty for defective parts, including labor Training included with installation at customer's facility
	XBCF18, XBCF36-24/4 Q 18, 36 heads Sewing field: XBCF18: 350mm x 500mm; XBCF36-24/4 Q: 162.42mm x 500mm (Also available in 700/1,000mm for XBCF18 and XBCF36-24/4 Q in 700/1,000/1,200mm) Continuous border and single unit designs	• 5, 11, 15 needles • 900 spm • Automatic color change • Automatic thread trimmers • LCD operating unit	• 1.2 GB+ stitch memory • Border frame • Adjusting rail • Tool/accessory kit	• Various size hoops and frames • Spare parts • Paper tape reader • Bobbin winder and modem • Boring, cord/loop, sequin and double cord (string) devices • TFT controller	Prices available upon request 1-year warranty for defective parts, including labor Training included with installation at customer's facility

Mfr./Key Source	Series/Configuration/Use	Machine Features		Accessories/ Machine Options	Price/Warranties/ Training
ZSK USA INC.	**XMCF12, XMCF14 D, XMCF15, XMCF24 D, XMCF30 D** 12, 14, 15, 24, 30 heads Sewing field: XMCF12: 600mm x 500mm; XMCF14 D: 480mm x 1,000mm; XMCF15: 480mm x 500mm; XMCF24 D: 300mm x 500mm; XMCF30 D: 240mm x 500mm (700/1,000/ 1,200mm available for XMCF12 and XMCF24 D, and 700/ 1,000mm available for XMCF15 and XMCF30 D)	• 9, 11, 15 needles • 800 spm • Automatic color change • Automatic thread trimmers • 1.2 GB+ stitch memory	• LCD operating unit • Border frame • Adjusting rail • Tool/accessory kit	• Various size hoops and frames • Spare parts • Paper tape reader • Bobbin winder and modem • Boring, cord/loop, sequin and double cord (string) devices • TFT controller	Prices available upon request 1-year warranty for defective parts, including labor. Training included with installation at customer's facility
	JC 01, JC 02, JC 03, MC 06, XLCC 10 1+1, 2+2, 3+3, 6+6, 10+10 heads Sewing field: 275mm x 500mm (JC 02 and JC 03 also available in 700/1,000mm) For embroidering of cord, tapes and coiling, in addition to multi-colored embroidery	• 9 + 1 needles • 800 spm • Automatic color change • Automatic thread trimmers • 1.2GB+ stitch memory • TFT control unit • Electronic monitoring	• Design transferable by disk or online • Selective control of all embroidery tools • Connections for modem	• Zigzag attachments	Prices available upon request 1-year warranty for defective parts, including labor. Training included with installation at customer's facility